From: Shirley Rance [redacted] **On Behalf Of** Explosives Planning
Sent: 21 February 2022 09:09
To: planning comments <planning.comments@Sedgemoor.gov.uk>
Subject: RE: [OFFICIAL] - Sedgemoor: 42/22/00007/SPH Gravity, Woolavington Road, Puriton, Bridgwater, Somerset

Dear Sir/Madam,

Thank you for your email and attached application. HSE's Explosives Inspectorate has no comment to make on this application as according to our records it does not appear to fall within the consultation zones of an HSE licensed explosives site. If you believe that this development is within the vicinity of an HSE licensed explosives site, please let me know.

Could you please ensure that prior to sending an further applications for advice to HSE's Explosives Inspectorate, you check your records and/or the HSE Planning Advice Web App at http://www.hse.gov.uk/landuseplanning/planning-advice-web-app.htm to confirm that development falls within the safeguarding zones for a HSE licensed explosives site.

If you require statutory consultation from other parts of HSE e.g. major hazards, please contact them directly using the correct email address.

Kind Regards,

Sent on behalf of CEMHD7

[redacted]

Shirley Rance
Chemicals, Explosives and Microbiological Hazards Division - Unit 5 (CEMHD5)
1.2 Redgrave Court
Merton Road
Bootle
L20 7HS